

FDM Raman Polymers Chemical Name Index
© 2012-2013, Fiveash Data Management, Inc. All Rights Reserved.

(Trimethylsilylmethyl) methacrylate, 18269-97-1
1-Hydroxy-4-methyl-2,6-di-tert-butylbenzene, 128-37-0
1,1,1,3,3,3-Hexafluoroisopropyl methacrylate, 3063-94-3
1,12-Dodecanediol dimethacrylate
1,2-Polybutadiene, isomer content, 9.0% cis, 3.0% trans, 88.0% vinyl, Mw=100000, 9003-17-2
1,2-Polybutadiene, Mw=100000, 31567-90-5
1,3-Butanediol diacrylate, 19485-03-1
1,4-Butanediol diacrylate, 1070-70-8
1,4-Butanediol dimethacrylate, 2082-81-7
1,6-Hexanediol diacrylate, 13048-33-4
1,6-Hexanediol dimethacrylate, 6606-59-3
1H,1H-Heptafluorobutyl methacrylate, 13695-31-3
2-(2-Ethoxyethoxy) ethyl acrylate, 7328-17-3
2-(Trimethylsiloxy) ethyl methacrylate, 17407-09-9
2-Acrylamido-2-methyl propane sulfonic acid, 15214-89-8
2-Acrylamido-2-methyl propane sulfonic acid, sodium salt, 5165-97-9
2-Butoxyethyl acrylate, 7251-90-3
2-Diisopropylaminoethyl methacrylate, 16715-83-6
2-Dimethylaminoethyl acrylate, 2439-35-2
2-Dimethylaminoethyl methacrylate, 2867-47-2
2-Ethoxyethyl methacrylate, 2370-63-0
2-Ethylhexyl acrylate, 103-11-7
2-Ethylhexyl diphenyl phosphate, 1241-94-7
2-Ethylhexyl epoxy tallate, 61789-01-3
2-Ethylhexyl methacrylate, 688-84-6
2-Hydroxyethyl acrylate, 818-61-1
2-Hydroxypropyl acrylate, 25584-83-2
2-Hydroxypropyl methacrylate, 27813-02-1
2-Methoxyethyl acrylate, 3121-61-7
2-Phenoxyethyl acrylate, 48145-04-6
2-Phenoxyethyl methacrylate, 10595-06-9
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate, 6846-50-0
2,3-Epoxypropyl methacrylate, 106-91-2
4-Hydroxybutyl acrylate, 2478-10-6
4-Methyl styrene, 622-97-9
4-Styrenesulfonic acid, sodium salt, 2695-37-6
4,4 Isopropylidene bis(2,6-dibromophenol), 79-94-7
Acetyl tri-n-butyl citrate, 77-90-7
Acetyl triethyl citrate, 77-89-4
Acrylamide, 79-06-1
Acrylic acid, 79-10-7
Acrylic acid, sodium salt, 7446-81-3
Acrylonitrile, 107-13-1
Acrylonitrile/butadiene copolymer, acrylonitrile 27%, 9003-18-3
Acrylonitrile/butadiene copolymer, acrylonitrile 27%, Mooney visc=45, 9003-18-3
Acrylonitrile/butadiene copolymer, acrylonitrile 29%, Mooney visc=80, 9003-18-3
Acrylonitrile/butadiene copolymer, acrylonitrile 31%, Mooney visc=50, 9003-18-3
Acrylonitrile/butadiene copolymer, acrylonitrile 33%, 9003-18-3
Acrylonitrile/butadiene copolymer, acrylonitrile 33%, Mooney visc=45, 9003-18-3
Acrylonitrile/butadiene copolymer, acrylonitrile 33%, Mooney visc=55, 9003-18-3
Acrylonitrile/butadiene copolymer, acrylonitrile 33%, Mooney visc=85, 9003-18-3
Acrylonitrile/butadiene copolymer, acrylonitrile 33%, Mooney visc=95, 9003-18-3
Acrylonitrile/butadiene copolymer, acrylonitrile 41%, Mooney visc=50, 9003-18-3

Acrylonitrile/butadiene copolymer, acrylonitrile 41%, Mooney visc=75, 9003-18-3
Acrylonitrile/butadiene copolymer, butadiene 45%, 9003-56-9
ADK Stab LA-51; Bis(5-benzoyl-4-hydroxy-2-methoxyphenyl)methane, 57472-50-1
ADK Stab LA-57, 64022-61-3
ADK Stab LA-63, 182635-99-0
ADK Stab LA-67, 100631-43-4
Allyl glycidyl ether, 106-92-3
Allyl methacrylate, 96-05-9
alpha-Cellulose, 99.5% pure, 9004-34-6
alpha-Methylstyrene, 98-83-9
Alvinox FB, 27676-62-6
Benzophenone, 119-61-9
Benzyl acrylate, 2495-35-4
Benzyl methacrylate, 2495-37-6
Bis-(2-hydroxyethyl dimerate), 68855-78-7
Butyl benzyl phthalate, 85-68-7
Butyl methacrylate/isobutyl methacrylate copolymer, 50/50 copolymer, Mw=200000, Tg=35, 9011-53-4
Butyl octyl phthalate, 84-78-6
Butyl oleate, 142-77-8
Butyl ricinoleate, 151-13-3
Caprolactone acrylate, 110489-05-9
Cellulose acetate butyrate, butyryl 17%, acetyl 29.5%, hydroxyl 1.5%, Mw=200000, 9004-36-8
Cellulose acetate hydrogen phthalate, 9004-38-0
Cellulose propionate, Mw=200000, 9004-39-1
Cellulose triacetate, Mw=240000, 9012-09-3
Cellulose, 100 micron avg. particle size, 9004-34-6
Cellulose, 20 micron avg. particle size, 9004-34-6
Cellulose, 50 micron avg. particle size, 9004-34-6
Cellulose, carboxy methyl, sodium salt, dried, viscosity 10-20cp (2% in water, 25C), 9004-32-4
Cellulose, carboxy methyl, sodium salt, dried, viscosity 1500-3000cp (1% in water, 25C), 9004-32-4
Cellulose, carboxy methyl, sodium salt, dried, viscosity 400-800cp (2% in water, 25C), 9004-32-4
Chimassorb 119, 106990-43-6
Chimassorb 944, 71878-19-8, 70624-18-9
Chloromethyl styrene, 30030-25-2
Chloroparaffin, 41% Cl, 63449-39-8
Chloroparaffin, 50% Cl, 63449-39-8
Cyanox 1212, 123-28-4; 693-36-7; 13103-52-1
Cyanox 1790, 40601-76-1
Cyanox 2246; 2,2-Methylene-bis(4-methyl-6-tert-butyl)phenol, 119-47-1
Cyanox 711; Ditridecylthiodipropionate, 10595-72-9
Cyasorb UV-1164, 2725-22-6
Cyasorb UV-2126; Poly-4-(2-acryloxyethoxy)-2-Hydroxybenzophenone, 29963-76-6
Cyasorb UV-24; 2,2'-Dihydroxy-4-methoxybenzophenone, 131-53-3
Cyasorb UV-2908, 67845-93-6
Cyasorb UV-3346, 82451-48-7
Cyasorb UV-3529, 193098-40-7
Cyasorb UV-3604; 3-dodecyl-N-(2,2,6,6-tetramethyl-4-piperidinyl) succinimide
Cyasorb UV-3853, 167078-06-0 ; 9002-88-4
Cyasorb UV-416; 2-Hydroxy-4-acryloxyethoxy benzophenone, 16432-81-8
Cyasorb UV-531; 2-Hydroxy-4-n-octoxybenzophenone, 1843-05-6
Cyasorb UV-5411; 2-(2'-Hydroxy-5'-octylphenyl)-benzotriazole, 3147-75-9
Cyasorb UV-9; 2-Hydroxy-4-methoxybenzophenone, 131-57-7
Cyastat 609, 18602-17-0
Cyastat SN, 2764-13-8
Cyastat SP, 3758-54-1
Cyastat; 3-Lauramidopropyl trimethylammonium methyl sulfate, 10595-49-0

Cyclohexanedimethanol diacrylate, 67905-41-3
Cyclohexyl acrylate, 3066-71-5
Cyclohexyl methacrylate, 101-43-9
DE-83R; Decabromodiphenyl oxide, 1163-19-5
Decabromodiphenyl ether, 1163-19-5
Di-n-butyl maleate, 105-76-0
Di-n-butyl phthalate, 84-74-2
Di-n-hexyl azelate, 109-31-9
Di-trimethylolpropane tetraacrylate, 94108-97-1
Di(2-ethylhexyl adipate), 103-23-1
Di(2-ethylhexyl azelate), 103-24-2
Di(2-ethylhexyl) maleate, 142-16-5
Di(2-ethylhexyl) phthalate, 117-81-7
Di(2-ethylhexyl) sebacate, 122-62-3
Di(n-heptyl, n-nonyl) adipate, 68515-75-3
Di(tridecyl) adipate, 16958-92-2
Dibutyl fumarate, 105-75-9
Dibutyl sebacate, 109-43-3
Dicapryl adipate, 108-63-4
Dicapryl phthalate, 131-15-7
Dicyclohexyl phthalate, 84-61-7
Diethyl phthalate, 84-66-2
Diethyl succinate, 123-25-1
Diethylaminoethyl acrylate, 2426-54-2
Diethylaminoethyl methacrylate, 105-16-8
Diethylene glycol diacrylate, 4074-88-8
Diethylene glycol dibenzoate, 120-55-8
Diethylene glycol dimethacrylate, 2358-84-1
Dihexyl phthalate, 68515-50-4
Diisobutyl adipate, 141-04-8
Diisobutyl phthalate, 84-69-5
Diisooctyl azelate, 26544-17-2
Diisodecyl adipate, 27178-16-1
Diisodecyl azelate, 28472-97-1
Diisodecyl phthalate, 68515-49-1
Diisoheptyl phthalate, 71888-89-6
Diisononyl adipate, 33703-08-1
Diisononyl phthalate, 68515-48-0
Diisooctyl phthalate, 27554-26-3
Dimethyl azelate, 1732-10-1
Dimethyl isophthalate, 1459-93-4
Dimethyl phthalate, 131-11-3
Dimethyl sebacate, 106-79-6
Dimethylaminopropyl methacrylamide, 5205-93-6
Dipentaerythritol monohydroxypentaacrylate, 60506-81-2
Diphenyl isophthalate, 744-45-6
Dipropylene glycol dibenzoate, 27138-31-4
Ditridecyl phthalate, 119-06-2
Diundecyl phthalate, 3648-20-2
Divinyl benzene, 1321-74-0
Doverphos 9228, 154862-43-8
Epoxidized linseed oil, 8016-11-3
Epoxidized soy been oil, 8013-07-8
Erucamide Slip agent; cis-13-Docosenoamide, 112-84-5
Ethoxylated (10) bisphenol A dimethacrylate, 41637-38-1
Ethoxylated (10) bisphneol A diacrylate, 64401-02-1

Ethoxylated (15) trimethylolpropane triacrylate, 28961-43-5
Ethoxylated (2) bisphenol A diacrylate, 64401-02-1
Ethoxylated (2) bisphenol A dimethacrylate, 41637-38-1
Ethoxylated (20) trimethylolpropane triacrylate, 28961-43-5
Ethoxylated (3) trimethylolpropane triacrylate, 28961-43-5
Ethoxylated (30) bisphenol A diacrylate, 64401-02-1
Ethoxylated (4) bisphenol A diacrylate, 64401-02-1
Ethoxylated (4) bisphenol A dimethacrylate, 41637-38-1
Ethoxylated (6) bisphenol A dimethacrylate, 41637-38-1
Ethoxylated (6) trimethylolpropane triacrylate, 28961-43-5
Ethoxylated (9) trimethylolpropane triacrylate, 28961-43-5
Ethyl acrylate, 140-88-5
Ethyl cellulose, dried, 48% ethoxyl, visc 10cp (5% in 80-20 Tol-EtOH), 9004-57-3
Ethyl cellulose, dried, 48% ethoxyl, visc 22cp (5% in 80-20 Tol-EtOH), 9004-57-3
Ethyl cellulose, dried, 48% ethoxyl, visc 300cp (5% in 80-20 Tol-EtOH), 9004-57-3
Ethyl cellulose, dried, 48% ethoxyl, visc 4cp (5% in 80-20 Tol-EtOH), 9004-57-3
Ethyl cellulose, dried, 50% ethoxyl, visc 100cp (5% in 80-20 Tol-EtOH), 9004-57-3
Ethyl methacrylate, 97-63-2
Ethylene glycol dimethacrylate, 97-90-5
Ethylene glycol monostearate, 111-60-4
Ethylene/acrylic acid copolymer, acrylic acid 10%, 9010-77-9
Ethylene/acrylic acid copolymer, acrylic acid 15%, 9010-77-9
Ethylene/acrylic acid copolymer, acrylic acid 5%, 9010-77-9
Ethylene/acrylic acid copolymer, acrylic acid 9%, 9010-77-9
Ethylene/butylene copolymer, dihydroxy term., hydroxyl eq. wt. 1700, Tg=-63
Ethylene/butylene copolymer, monohydroxy term., hydroxyl eq. wt. 4000, Tg=-63, 68954-09-6
Ethylene/ethyl acrylate copolymer, 9010-86-0
Ethylene/ethyl acrylate copolymer, ethyl acrylate 18%, 9010-86-0
Ethylene/methacrylic acid copolymer, methacrylic acid 12%, 25053-53-6
Ethylene/methacrylic acid copolymer, methacrylic acid 4%, 25053-53-6
Ethylene/methacrylic acid copolymer, methacrylic acid 9%, 25053-53-6
Ethylene/methacrylic acid ionomer, sodium ion, 25608-26-8
Ethylene/methacrylic acid ionomer, sodium ion, melt flow index 0.9g/10min, 25608-26-8
Ethylene/methacrylic acid ionomer, sodium ion, melt flow index 1.3g/10min, 25608-26-8
Ethylene/methacrylic acid ionomer, sodium ion, melt flow index 10.0g/10min, 25608-26-8
Ethylene/methacrylic acid ionomer, sodium ion, melt flow index 2.8g/10min, 25608-26-8
Ethylene/methacrylic acid ionomer, zinc ion, melt flow index 0.7g/10min, 25608-26-8
Ethylene/methacrylic acid ionomer, zinc ion, melt flow index 1.6g/10min, 25608-26-8
Ethylene/methacrylic acid ionomer, zinc ion, melt flow index 14.0g/10min, 25608-26-8
Ethylene/methacrylic acid ionomer, zinc ion, melt flow index 5.0g/10min, 25608-26-8
Ethylene/propylene copolymer, ethylene 60%, Tg=-50, 9010-79-1
Ethylene/propylene/butylene terp., epox., monohydroxyl term., epoxy eq. wt. 590, Tg=-53, 188038-86-2
Ethylene/propylene/diene terpolymer, ethylene 50%, diene 4%, Tg=-50, 25038-36-2
Ethylene/propylene/diene terpolymer, ethylene 50%, diene 8%, Tg=-50, 25038-36-2
Ethylene/propylene/diene terpolymer, ethylene 60%, diene 4%, Tg=-50, 25038-36-2
Ethylene/propylene/diene terpolymer, ethylene 70%, diene 4%, Tg=-50, 25038-36-2
Ethylene/vinyl acetate copolymer, 9% VA by wt., 24937-78-8
Ethylene/vinyl acetate copolymer, 14% VA by wt., 24937-78-8
Ethylene/vinyl acetate copolymer, 25% VA by wt., Mw=100000, 24937-78-8
Ethylene/vinyl acetate copolymer, 28% VA by wt., Mw=250000, 24937-78-8
Ethylene/vinyl acetate copolymer, 33% VA by wt., Mw=150000, 24937-78-8
Ethylene/vinyl acetate copolymer, 40% VA by wt., Mw=200000, 24937-78-8
Ethylene/vinyl acetate copolymer, 45% VA by wt., Mw=250000, 24937-78-8
Ethylene/vinyl acetate copolymer, 50% VA by wt., Mw=250000, 24937-78-8
Ethylene/vinyl acetate copolymer, 70% VA by wt., Mw=285000, 24937-78-8
Ethylene/vinyl alcohol copolymer, ethylene 27mole%, Tg=72, 26221-27-2

Ethylene/vinyl alcohol copolymer, ethylene 38mole%, Tg=175, 26221-27-2
Ethylene/vinyl alcohol copolymer, ethylene 44mole%, Tg=165, 26221-27-2
Ferro UV-ChekAM-340
Flamestab NOR 116, 191680-81-6
FR 370 Flame Retardant; Tris(tribromoneopentyl)phosphate, 19186-97-1
Furfuryl methacrylate, 3454-28-2
Glycerol monostearate, 31566-31-1
Glycerol tri(acetyl ricinoleate), 101-34-8
Glyceryl propoxy triacrylate, 52408-84-1
Glyceryl triacetate, 102-76-1
HBCD FR 10280
Hexadecyl methacrylate, 2495-27-4
Hostalux KS-1
Hostalux KS, 5242-49-9
Hostanox O3, 32509-66-3
Hostanox SE10; Di-n-octadecyl disulphide, 2500-88-1
Hostavin N-30 UV, 64338-16-5; 106-89-8
Hydroxybutyl methyl cellulose, hydroxybutyl 3.5%, methoxyl 30%, 9041-56-9
Hydroxyethyl cellulose, dried, viscosity 4800-6000cp (2% in water, 25C), 9004-62-0
Hydroxyethyl cellulose, dried, viscosity 75-110cp (5% in water, 25C), 9004-62-0
Hydroxyethyl methacrylate, high purity, 868-77-9
Hydroxypropyl cellulose, Mw=100000, 9004-64-2
Hydroxypropyl cellulose, Mw=1000000, 9004-64-2
Hydroxypropyl cellulose, Mw=300000, 9004-64-2
Hydroxypropyl cellulose, Mw=60000, 9004-64-2
Hydroxypropyl methyl cellulose, hydroxypropyl 10%, methoxyl 30%, Mn=86000, 9004-65-3
Irgafos 12, 80410-33-9
Irgafos 168; Tris(2,4-ditert-butylphenyl)phosphite, 31570-04-4
Irganox 1010, 6683-19-8
Irganox 1035, 41484-35-9
Irganox 1076, 2082-79-3
Irganox 1135, 125643-61-0
Irganox 1330, 1709-70-2
Irganox 1425, 65140-91-2
Irganox 1520; 4,6-bis (octylthiomethyl)-o-cresol, 110553-27-0
Irganox 1726; 4,6-bis (dodecylthiomethyl)-o-cresol, 110675-26-8
Irganox 245, 36443-68-2
Irganox 259, 35074-77-2
Irganox 3114, 27676-62-6
Irganox 3125, 34137-09-2
Irganox 565, 991-84-4
Irganox MD-1024, 32687-78-8
Irgastab FS 042, 143925-92-2
Isobornyl acrylate, 5888-33-5
Isobornyl methacrylate, 7534-94-3
Isobutyl acrylate, 106-63-8
Isobutyl methacrylate, 97-86-9
Isobutyl vinyl ether, 109-53-5
Isodecyl acrylate, 1330-61-6
Isodecyl diphenyl phosphate, 29761-21-5
Isodecyl methacrylate, 29964-84-9
Isooctyl acrylate, 29590-42-4
Isopropyl acrylate, 689-12-3
Isopropyl isostearate, 68171-33-5
Isopropyl methacrylate, 4655-34-9
Isopropyl myristate, 110-27-0

Isopropyl palmitate, 142-91-6
Lauryl acrylate, 2156-97-0
Lauryl methacrylate, 142-90-5
Leukopur EGM, 3333-62-8
LTDP Antioxidant; 3,3'-Thiobis[propionic acid], didodecyl ester, 123-28-4
Lumogen violet 570; Naphthalimide, Fluorescence Brightener color index 331
Maleic anhydride, 108-31-6
Mark 446, Barium cadmium phosphate
Methacrylamide, 79-39-0
Methacrylamidopropyltrimethylammonium chloride, 51410-72-1
Methacrylic acid, 79-41-4
Methacrylic acid, sodium salt, 5536-61-8
Methacrylic anhydride, 760-93-0
Methacryloxypropyltrimethoxysilane, 25360-05-7
Methoxy polyethylene glycol (350) monomethacrylate, 26915-72-0
Methoxy polyethylene glycol (550) monomethacrylate, 26915-72-0
Methyl acetyl ricinoleate, 140-03-4
Methyl acrylate, 96-33-3
Methyl cellulose, methoxyl 30%, Mn=86000, Tg=150, 9004-67-5
Methyl laurate, 111-82-0
Methyl linoleate, 68605-14-1
Methyl methacrylate, 80-62-6
Methyl oleate, 112-62-9
Methyl palmitate, 112-39-0
Methyl ricinoleate, 141-24-2
Methyl stearate, 112-61-8
Methyl vinyl ether/maleic acid copolymer, monoisopropyl ester, 50/50 copolymer (molar), 31307-95-6
Methyl vinyl ether/maleic anhydride copolymer, 50/50 copolymer (molar), Mw=20000, 9011-16-9
Mixxim AO-20; Tris(3,5-di-t-butyl-4-hydroxybenzyl)isocyanurate, 27676-62-6
Mixxim BB 100, 103597-45-2
Mixxim CD-12, 36411-52-6
n-Butyl acetyl ricinoleate, 140-04-5
n-Butyl acrylate, 141-32-2
n-Butyl glycidyl ether, 2426-08-6
n-Butyl methacrylate, 97-88-1
n-Butyl stearate, 123-95-5
n-Butyl vinyl ether, 111-34-2
n-Decyl acrylate, 2156-96-9
n-Decyl methacrylate, 3179-47-3
N-Ethyl o,p-toluenesulfonamide, 1077-56-1
n-Hexyl acrylate, 2499-95-8
n-Hexyl methacrylate, 142-09-6
N-Isopropyl acrylamide, 2210-25-5
n-Octadecyl acrylate, 481013-57-4
n-Octadecyl methacrylate, high purity, 32360-05-7
n-Octyl acrylate, 2499-59-4
n-Octyl methacrylate, 2157-01-9
n-Pentyl acrylate, 2998-23-4
n-Pentyl methacrylate, 2849-98-1
n-Propyl acrylate, 925-60-0
n-Propyl methacrylate, 2210-28-8
n-Propyl oleate, 111-59-1
N-Vinyl caprolactam, 2235-00-9
n-Vinyl carbazole, 1484-13-5
N-Vinylpyrrolidone/dimethylaminoethyl methacrylate copolymer, quat., dried from aq. sol., Mw=1000000, 53633-54-8

N-Vinylpyrrolidone/vinyl acetate copolymer, Mw=13000, 25086-89-9
N-Vinylpyrrolidone/vinyl acetate copolymer, Mw=2000, 25086-89-9
N-Vinylpyrrolidone/vinyl acetate copolymer, Mw=3500, Tg=108, 25086-89-9
N-Vinylpyrrolidone/vinyl acetate copolymer, n-Vinylpyrrolidone 60%, Mw=2500, 25086-89-9
N,N-Dimethyl acrylamide, 2680-03-7
Nafion 117, hydrogen ion form, 66796-30-3
Naugard 445; 4,4-Bis (alpha, alpha-dimethylbenzyl) diphenylamine, 10081-67-1
Naugard 492; phenolic phosphite
Naugard 524; Tris(2,4-di-t-butyl phenyl)phosphite, 31570-04-4
Naugard 76; Octadecyl-3,5-di-t-butyl-4-hydroxyhydrocinnamate, 2082-79-3
Naugard XL-1, 70331-94-1
Neopentyl acrylate, 4513-36-4
Neopentyl glycol diacrylate, 2223-82-7
Neopentyl glycol dimethacrylate, 1985-51-9
Neopentyl methacrylate, 2397-76-4
Nylon 11, 25035-04-5
Nylon 12, 25038-74-8
Nylon 6(3)T, Tg=140, 25497-66-6
Nylon 6, 25038-54-4
Nylon 6/10 (Poly(hexamethylene nonanediamide)), Tg=40, 9011-52-3
Nylon 6/12, 25191-04-2
Nylon 6/6, 32131-17-2
Nylon 6/9, 28757-63-3
Nylostab, 42774-15-2
o,p-Toluenesulfonamide, 1330-07-9
OB-1; 2,2-(1,2-ethenediylidi-4,1-phenylene)bis-benzoxazole, 1533-45-5
Octadecene-1-maleic anhydride copolymer, anhydride 15-23%, acid 5-10%, Mw=50000, 25266-62-8
Octadecyl vinyl ether/maleic anhydride copolymer, 28214-64-4
Oleamide Slip agent; (Z)-Octa-9-decenamide, 301-02-0
PE-68; Tetrabromobisphenol A bis (2,3-dibromopropyl ether), 21850-44-2
Pentaerythritol tetraacrylate, 4986-89-4
PEPQ Antioxidant, 38613-77-3
Permyl B-100; substituted benzophenone
Phenoxy resin, Mw=50000, 25068-38-6
Phenyl methacrylate, 2177-70-0
Poly(1-butene), isotactic, Mw=570000, Tg=-24, 25036-29-7
Poly(1,4-butylene adipate), Mw=12000, Tg=-68, 25103-87-1
Poly(1,4-cyclohexanedimethylene succinate), Mw=30000, 60836-39-7
Poly(2-acrylamido-2-methylpropane sulfonic acid), dried from aq. sol., Mw=800000, 27119-07-9
Poly(2-acrylamido-2-methylpropane sulfonic acid), sodium salt, 35641-59-9
Poly(2-bromostyrene), Mw=60000, 27290-16-0
Poly(2-chlorostyrene), Tg=119, 26125-41-7
Poly(2-ethyl-2-oxazoline), Mw=200000, Tg=70, 25805-17-8
Poly(2-ethyl-2-oxazoline), Mw=5000, Tg=70, 25805-17-8
Poly(2-ethyl-2-oxazoline), Mw=50000, Tg=70, 25805-17-8
Poly(2-ethyl-2-oxazoline), Mw=500000, Tg=70, 25805-17-8
Poly(2-ethylhexyl acrylate), Mw=90000, Tg=-50, 9003-77-4
Poly(2-ethylhexyl methacrylate), Mw=100000, Tg=-10, 25719-51-1
Poly(2-hydroxyethyl acrylate), 19.85% sln in water, Tg=-15, 26022-14-0
Poly(2-hydroxyethyl methacrylate), Mw=1000000, Tg=55, 25249-16-5
Poly(2-hydroxyethyl methacrylate), Mw=20000, Tg=55, 25249-16-5
Poly(2-hydroxyethyl methacrylate), Mw=300000, Tg=55, 25249-16-5
Poly(2-octyl acrylate), Mw=55000, Tg=-45, 25266-13-1
Poly(2-phenoxyethyl methacrylate), Mw=200000
Poly(2-phenylethyl methacrylate), Mw=100000, Tg=26, 28825-60-7
Poly(2-vinylpyridine-co-styrene), 30% styrene, Mw=110000

Poly(2-vinylpyridine), linear, Mw=100000, Tg=104, 25014-15-7
Poly(2-vinylpyridine), linear, Mw=200000, Tg=104, 25014-15-7
Poly(2-vinylpyridine), linear, Mw=40000, Tg=104, 25014-15-7
Poly(2,2-dimethyl-1,3-propylene succinate), Mw=16000, 28257-92-3
Poly(2,2,2-trifluoroethyl methacrylate), Mw=100000, 54808-79-8
Poly(2,3-dihydrofuran), Mw=100000, 75454-45-4
Poly(2,6-dimethyl-p-phenylene oxide), Mw=50000, Tg=210, 25134-01-4
Poly(3-bromostyrene), Mw=60000, 25584-47-8
Poly(3-chlorostyrene), Tg=90, 26100-04-9
Poly(4-bromostyrene), Mw=60000, Tg=118, 24936-50-3
Poly(4-chlorostyrene), Tg=110, 24991-47-7
Poly(4-methoxystyrene), Mw=400000, Tg=113, 24936-44-5
Poly(4-methyl-1-pentene), melt flow index 26g/10min, Tg=31, 25068-26-2
Poly(4-methyl-1-pentene), melt flow index 8g/10min, Tg=31, 25068-26-2
Poly(4-methylstyrene), monocarboxy terminated, Mw=25000, Tg=106, 24936-41-2
Poly(4-methylstyrene), narrow distribution, Mw=50000, Tg=106, 24936-41-2
Poly(4-vinylpyridine-co-butyl methacrylate), butyl methacrylate 10%
Poly(4-vinylpyridine-co-butyl methacrylate), butyl methacrylate 25%
Poly(4-vinylpyridine-co-butyl methacrylate), butyl methacrylate 50%
Poly(4-vinylpyridine-co-styrene), styrene 10%
Poly(4-vinylpyridine-co-styrene), styrene 50%, Mw=400000
Poly(4-vinylpyridine), crosslinked, 9017-40-7
Poly(4-vinylpyridine), linear, Mw=200000, Tg=142, 25232-41-1
Poly(4-vinylpyridine), linear, Mw=50000, Tg=142, 25232-41-1
Poly(acrylic acid), dried from aq. sol., Mw=240000, 9003-01-4
Poly(acrylic acid), dried from aq. sol., Mw=5000, 9003-01-4
Poly(acrylic acid), Mw=1250000, Tg=106, 9003-01-4
Poly(acrylic acid), Mw=750000, Tg=106, 9003-01-4
Poly(acrylic acid), sodium salt, sodium ion 17.5%, Mw=2100, 9003-04-7
Poly(acrylic acid), sodium salt, sodium ion 18.9%, Mw=6000, 9003-04-7
Poly(acrylonitrile-co-2-acrylamido-2-methylpropane sulfonic acid)
Poly(acrylonitrile-co-butyl methyl acrylate), acrylonitrile 94%, Mw=100000, 24968-79-4
Poly(alpha-methylstryene), Tg=168, 25014-31-7
Poly(alpha-methylstyrene), Tg=49, 25014-31-7
Poly(benzyl methacrylate), Mw=70000, Tg=54, 25085-83-0
Poly(butadiene-co-acrylonitrile), vinyl term., acrylonitrile 16.2%, acrylic vinyl 3.8%, Tg=-49, 68891-47-4
Poly(butadiene-co-acrylonitrile), vinyl term., AN 16.5%, acrylic vinyl 3%, 68891-47-4
Poly(butadiene)diol, 60% trans 1,4 - 20% cis 1,4 - 20% vinyl 1,2; Mn=1200, Tg=-70, 69102-90-5
Poly(butadiene)diol, 60% trans 1,4 - 20% cis 1,4 - 20% vinyl 1,2; Mn=2800, Tg=-75, 69102-90-5
Poly(butadiene)diol, 60% trans 1,4 - 20% cis 1,4 - 20% vinyl 1,2; Mn=3000, Tg=-76, 69102-90-5
Poly(butylene terephthalate), melt viscosity 8500p, 30965-26-5
Poly(caprolactone)diol, Mw=1250, 36890-68-3
Poly(caprolactone)diol, Mw=2000, 36890-68-3
Poly(caprolactone)diol, Mw=3000, 36890-68-3
Poly(caprolactone)diol, Mw=530, 36890-68-3
Poly(caprolactone)diol, Mw=830, 36890-68-3
Poly(caprolactone)triol, Mw=300, 37625-56-2
Poly(caprolactone)triol, Mw=540, 37625-56-2
Poly(caprolactone)triol, Mw=900, 37625-56-2
Poly(cyclohexyl acrylate), Mw=150000, Tg=19, 27458-65-7
Poly(cyclohexyl methacrylate), crosslinked, Tg=104, 25768-50-7
Poly(diallyl isophthalate), 25035-78-3
Poly(diallyl phthalate), 25053-15-0
Poly(dimethylamine-co-epichlorohydrin), quat., dried from aq. sol., 25998-97-0
Poly(dimethylsiloxane-co-alpha-methyl styrene), AB block copolymer, 20% dimethylsiloxane, Mw=75000
Poly(dimethylsiloxane-co-diphenylsiloxane), dimethylsiloxane 80%, 63148-52-7

Poly(dimethylsiloxane-co-ethylene oxide), AB block cop., dimethylsiloxane 18%, Mw=5000, 68937-54-2
Poly(dimethylsiloxane-co-ethylene oxide), AB block cop., dimethylsiloxane 25%, Mw=1200, 68937-54-2
Poly(ethyl acrylate), Mw=100000, Tg=-24, 9003-32-1
Poly(ethyl methacrylate-co-methyl methacrylate), ethyl methacrylate 50%, Mw=310000, 25685-29-4
Poly(ethyl methacrylate), Mw=250000, Tg=63, 9003-42-3
Poly(ethyl methacrylate), Mw=350000, Tg=63, 9003-42-3
Poly(ethylene-co-chlorotrifluoroethylene), 1:1 alternating copolymer, 25101-45-5
Poly(ethylene adipate), Mw=10000, Tg=0, 24938-37-2
Poly(ethylene azelate), Mw=50000, Tg=-50, 26760-99-6
Poly(ethylene glycol mono-methyl ether), Mw=1900, 9004-74-4
Poly(ethylene glycol mono-methyl ether), Mw=350, 9004-74-4
Poly(ethylene glycol mono-methyl ether), Mw=5000, 9004-74-4
Poly(ethylene glycol mono-methyl ether), Mw=550, 9004-74-4
Poly(ethylene glycol mono-methyl ether), Mw=750, 9004-74-4
Poly(ethylene glycol), Mw=1000, 25322-68-3
Poly(ethylene glycol), Mw=1500, 25322-68-3
Poly(ethylene glycol), Mw=200, 25322-68-3
Poly(ethylene glycol), Mw=300, 25322-68-3
Poly(ethylene glycol), Mw=3400, 25322-68-3
Poly(ethylene glycol), Mw=400, 25322-68-3
Poly(ethylene glycol), Mw=600, 25322-68-3
Poly(ethylene glycol), Mw=6800, 25322-68-3
Poly(ethylene oxide), diamine terminated, amine content 0.88 meg/g, Mw=2000, 65605-36-9
Poly(ethylene oxide), Mw=100000, Tm=65, Tg=65, 25322-68-3
Poly(ethylene oxide), Mw=200000, Tg=-67, 25322-68-3
Poly(ethylene oxide), Mw=300000, Tg=-67, 25322-68-3
Poly(ethylene oxide), Mw=400000, Tg=-67, 25322-68-3
Poly(ethylene oxide), Mw=4000000, Tg=-67, 25322-68-3
Poly(ethylene oxide), Mw=5000000, Tg=-67, 25322-68-3
Poly(ethylene oxide), Mw=900000, Tg=-67, 25322-68-3
Poly(ethylene succinate), Mw=10000, Tg=-1, 25569-53-3
Poly(ethylene terephthalate), inherent viscosity 0.7, Tg=81, 29154-49-2
Poly(hexamethyl methacrylate), Mw=200000, Tg=15, 25986-80-5
Poly(hexafluoropropylene oxide), Mw=2000, 60164-51-4
Poly(hexafluoropropylene oxide), Mw=7000, 60164-51-4
Poly(hydroxybutyl methacrylate), Mw=100000
Poly(hydroxypropyl methacrylate), Tg=73, 9086-85-5
Poly(isobornyl acrylate), Mw=100000, Tg=94, 69175-26-4
Poly(isobornyl acrylate), Mw=1000000, Tg=94, 69175-26-4
Poly(isobornyl methacrylate), Mw=100000, Tg=110, 9011-15-8
Poly(isobornyl methacrylate), Mw=550000, Tg=110, 9011-15-8
Poly(isobutyl acrylate), Mw=70000, Tg=-43, 26335-74-0
Poly(isobutyl methacrylate), Mw=260000, Tg=53, 9011-15-8
Poly(isobutylene-co-isoprene), 2.2 mole% isoprene, Mw=500000, 9010-85-9
Poly(isobutylene-co-isoprene), brominated, 1.5 Br, Mw=410000, 68441-14-5
Poly(isobutylene-co-isoprene), brominated, 1.5% isoprene, 2.1% bromine, Mw=540000, 68441-14-5
Poly(isodecyl acrylate), Mw=60000, 54841-40-6
Poly(isodecyl methacrylate), Mw=165000, Tg=-41, 37200-12-7
Poly(isopropyl acrylate), Mw=120000, Tg=-3, 26124-32-3
Poly(isopropyl methacrylate), Mw=100000, Tg=81, 26655-94-7
Poly(lauryl acrylate), Mw=50000, Tg=-30, 26246-92-4
Poly(lauryl methacrylate), Mw=250000, 25719-52-2
Poly(methacrylic acid), sodium salt, 30.46% solids in water, Mw=9500, 54193-36-1
Poly(methacrylic acid), sodium salt, 30.66% solids in water, Mw=6500, 54193-36-1
Poly(methyl acrylate), Mw=40000, Tg=5, 9003-21-8
Poly(methyl methacrylate-co-2-acrylamido-2-methylpropane sulfonic acid), methyl methacrylate 95%

Poly(methyl methacrylate), 85% syndiotactic, Mw=50000, Tg=105, 9011-14-7
Poly(methyl methacrylate), 95% isotactic, Mw=300000, Tg=38, 9011-14-7
Poly(methyl methacrylate), Mw=15000, Tg=105, 9011-14-7
Poly(methyl methacrylate), Mw=35000, Tg=105, 9011-14-7
Poly(methyl methacrylate), Mw=540000, Tg=95, 9011-14-7
Poly(methyl methacrylate), Mw=75000, Tg=105, 9011-14-7
Poly(methyl vinyl ether/maleic acid), monobutyl ester, 25119-68-0
Poly(n-butyl acrylate), Mw=100000, 9003-49-0
Poly(n-butyl methacrylate), Mw=180000, Tg=15, 9003-63-8
Poly(n-decyl acrylate), Mw=130000, 29500-86-5
Poly(n-hexyl acrylate), Mw=100000, Tg=-57, 27103-47-5
Poly(n-hexyl methacrylate), Mw=400000, 25087-17-6
Poly(N-isopropyl acrylamide), Mw=300000, Tg=130, 25189-55-3
Poly(n-octyl acrylate), Mw=100000, Tg=-65, 25266-13-1
Poly(n-propyl methacrylate), Mw=250000, Tg=35, 25609-74-9
Poly(n-vinyl carbazole), Mw=90000, Tg=227, 25067-59-8
Poly(N,N-dimethyl-3,5-dimethylene piperidinium chloride), Mw=250000, 113277-70-6
Poly(neopentyl methacrylate), 34903-87-2
Poly(octadecyl acrylate), Mw=65000, 25986-77-0
Poly(octadecyl methacrylate), Mw=170000, Tg=-100, 25639-21-8
Poly(p-tert-butylstyrene), Tg=132, 26009-55-2
Poly(phenyl methacrylate), Mw=100000, Tg=110, 25189-01-9
Poly(phenylene sulfide), Mn=10000, Tg=150, 26125-40-6
Poly(propylene glycol), Mw=1000, 25322-69-4
Poly(propylene glycol), Mw=2000, 25322-69-4
Poly(propylene glycol), Mw=3000, 25322-69-4
Poly(propylene glycol), Mw=4000, 25322-69-4
Poly(propylene glycol), Mw=425, 25322-69-4
Poly(propylene glycol), Mw=725, 25322-69-4
Poly(propylene oxide), diurea terminated, Mw=2000, 65605-54-1
Poly(propylene oxide), triamine terminated, amine content 0.46 meg/g, Mw=5000, 64852-22-8
Poly(sec-butyl methacrylate), Tg=60, 29356-88-5
Poly(styrene-co-2-acrylamido-2-methyl propane sulfonic acid), styrene 95%
Poly(styrene sulfonic acid-co-maleic anhydride), sodium salt, 25% maleic anhydride, Mw=20000, 68037-40-1
Poly(t-butylaminoethyl methacrylate), Mw=40000, Tg=33, 26716-20-1
Poly(tert-butyl acrylate), Mw=100000, Tg=43, 1663-39-4
Poly(tert-butyl methacrylate), Tg=107, 25189-00-9
Poly(tetrafluoroethylene), Tg=130, 9002-84-0
Poly(tetramethylene ether) glycol, Mw=1000, 25190-06-1
Poly(tetramethylene ether) glycol, Mw=2000, 25190-06-1
Poly(tetramethylene ether) glycol, Mw=2900, 25190-06-1
Poly(trimethylene adipate), Mw=3800, Tg=-59, 36568-42-0
Poly(trimethylene succinate), (poly(propylene succinate)), Mw=9500, 28158-21-6
Poly(vinyl acetate), Mw=100000, Tg=30, 9003-20-7
Poly(vinyl acetate), Mw=100000, Tg=30, 9003-20-7, cast
Poly(vinyl acetate), Mw=170000, Tg=30, 9003-20-7
Poly(vinyl alcohol), 78% hydrolyzed, Mw=2000, 25213-24-5
Poly(vinyl alcohol), 88% hydrolyzed, Mw=10000, 25213-24-5
Poly(vinyl alcohol), 88% hydrolyzed, Mw=125000, 25213-24-5
Poly(vinyl alcohol), 88% hydrolyzed, Mw=3000, 25213-24-5
Poly(vinyl alcohol), 88% hydrolyzed, Mw=96000, 25213-24-5
Poly(vinyl alcohol), 96% hydrolyzed, Mw=95000, 25213-24-5
Poly(vinyl alcohol), 98% hydrolyzed, Mw=126000, 9002-89-5
Poly(vinyl alcohol), 98% hydrolyzed, Mw=88000, 9002-89-5
Poly(vinyl alcohol), 99% hydrolyzed, Mw=86000, Tg=99, 9002-89-5
Poly(vinyl alcohol), 99.7% hydrolyzed, Mw=115000, Tg=99, 9002-89-5

Poly(vinyl butyral), 11% hydroxyl, 1% acetate, 88% butyral, Mw=180000, Tg=51, 27360-07-2
Poly(vinyl butyral), 19% hydroxyl, 1% acetate, 80% butyral, Mw=220000, Tg=51, 27360-07-2
Poly(vinyl butyral), 19% hydroxyl, 1% acetate, 80% butyral, Mw=260000, Tg=51, 27360-07-2
Poly(vinyl butyral), 19% hydroxyl, 1% acetate, 80% butyral, Mw=285000, Tg=51, 27360-07-2
Poly(vinyl butyral), 19% hydroxyl, 1% acetate, 80% butyral, Mw=300000, Tg=51, 27360-07-2
Poly(vinyl butyral), 19% hydroxyl, 1% acetate, 80% butyral, Mw=88000, Tg=51, 27360-07-2
Poly(vinyl chloride), carboxylated, carboxyl 1.8% by wt., Mw=220000, Tg=84, 25702-80-1
Poly(vinyl chloride), chlorine 56% by wt., Mw=120000, Tg=85, 9002-86-2
Poly(vinyl chloride), chlorine 56% by wt., Mw=175000, Tg=85, 9002-86-2
Poly(vinyl chloride), chlorine 56% by wt., Mw=215000, Tg=85, 9002-86-2
Poly(vinyl chloride), chlorine 56% by wt., Mw=245000, Tg=85, 9002-86-2
Poly(vinyl cinnamate), Mw=100000, 9050-06-0
Poly(vinyl ethyl ether), Mw=120000, Tg=-30, 25104-37-4
Poly(vinyl ethyl ether), Mw=3800, Tg=-60, 25104-37-4
Poly(vinyl fluoride), fluorine 41%, Tg=41, 24981-14-4
Poly(vinyl laurate), Mw=110000, Tg=1, 296246-91-3
Poly(vinyl methyl ether), Mw=90000, Tg=-49, 9003-09-2
Poly(vinyl methyl ketone), 25038-87-3
Poly(vinyl neodecanoate), Mw=20000, 66987-22-2
Poly(vinyl neononanoate), Mw=14000
Poly(vinyl pivalate), Mw=100000, Tg=70, 26715-88-8
Poly(vinyl propionate), Mw=30000, Tg=-7, 25035-84-1
Poly(vinyl stearate), Mw=90000, 9003-95-6
Poly(vinyl toluene), mixed isomers, 60% meta, 40% para, Mw=80000, 9017-21-4
Poly(vinylbenzyl chloride), 60/40 m- and p- isomers, Mw=55000, 9080-67-5
Poly(vinylbenzyl chloride), 60/40 mixture of m- and p- isomers, Mw=500000, 9080-67-5
Poly(vinylbenzyl trimethyl ammonium chloride), dried from aq. sol., Mw=400000, 9017-80-5
Poly(vinylidene fluoride), Fluorine 59%, Mw=530000, Tg=38, 24937-79-9
Poly[tetrafluoroethylene-co-perfluoro(alkyl vinyl ether)], 26655-00-5
Polyacenaphthylene, Mw=5000, Tg=214, 25036-01-5
Polyacetal, Tg=-30, 25231-38-3
Polyacrylamide, carboxyl modified, low carboxyl content, Mw=200000
Polyacrylamide, dried from aq. sol., Mw=10000, Tg=165, 9003-05-8
Polyacrylamide, dried from aq. sol., Mw=1500, Tg=165, 9003-05-8
Polyacrylamide, Mw=10000, Tg=165, 9003-05-8
Polyacrylamide, Mw=1500, Tg=165, 9003-05-8
Polyacrylonitrile, Mw=150000, Tg=125, 25014-41-9
Polyamide resin, viscosity 20p (225C), 63139-70-8
Polyamide resin, viscosity 20p (225C), 68139-70-8
Polyamide resin, viscosity 35p (240C), 128360-73-6
Polybutadiene oligomer, acrylated, Mw=7000, 9003-17-2
Polybutadiene, 20% vinyl 1,2; 30%cis, 50% trans 1,4; Mn=5000, 9003-17-2
Polybutadiene, cis and trans, 36% cis 1,4; 55% trans 1,4; 9% vinyl 1,2; Mw=200000, Tg=-96, 9003-17-2
Polybutadiene, cis, 98% cis-polybutadiene, Mw=250000, Tg=-104, 9003-17-2
Polybutadiene, cis, isomer content, 98.5% cis, 0.4% trans, 1.1% vinyl, Mw=200000, 9003-17-2
Polybutadiene, dicarboxy terminated, Mw=10000, 68891-79-2
Polybutadiene, dicarboxy terminated, Mw=9000, 68891-79-2
Polybutadiene, phenyl terminated, 80% unsaturation, Mn=1000, 9003-17-2
Polybutadiene, phenyl terminated, 80% unsaturation, Mn=1800, 9003-17-2
Polybutadiene, phenyl terminated, 99% unsaturation, Mn=2000, 9003-17-2
Polybutadiene, phenyl terminated, Mn=1300, 9003-17-2
Polybutadiene, phenyl terminated, Mn=2600, 9003-17-2
Polybutadiene, phenyl terminated, Mn=900, 9003-17-2
Polycaprolactone, Mw=200000, Tg=-60, 24980-41-4
Polycarbonate, Mw=36000, Tg=149, 103598-77-2
Polycarbonate, Mw=60000, Tg=149, 103598-77-2

Polydiethoxysiloxane, Mw=600, 68412-37-3
Polydiethylsiloxane, Mw=1500, 63148-61-8
Polydiethylsiloxane, Mw=300, 63148-61-8
Polydiethylsiloxane, Mw=600, 63148-61-8
Polydimethylsilane, 28883-63-8
Polydimethylsiloxane, 107-51-7
Polydimethylsiloxane, acetoxy terminated, Mw=36000, 68440-60-8
Polydimethylsiloxane, diaminopropyl terminated, Mw=1000, 106214-84-0
Polydimethylsiloxane, diaminopropyl terminated, Mw=25000, 106214-84-0
Polydimethylsiloxane, dihydroxy terminated, Mw=110000, 70131-67-8
Polydimethylsiloxane, dihydroxy terminated, Mw=18000, 70131-67-8
Polydimethylsiloxane, dihydroxy terminated, Mw=2000, 70131-67-8
Polydimethylsiloxane, dihydroxy terminated, Mw=36000, 70131-67-8
Polydimethylsiloxane, dihydroxy terminated, Mw=4000, 70131-67-8
Polydimethylsiloxane, dihydroxy terminated, Mw=550, 70131-67-8
Polydimethylsiloxane, dihydroxy terminated, Mw=90000, 70131-67-8
Polydimethylsiloxane, ethoxy terminated, Mw=1000, 70851-25-1
Polydimethylsiloxane, liq., viscosity 100000cs (25C), 63148-62-9
Polydimethylsiloxane, liq., viscosity 10000cs (25C), 63148-62-9
Polydimethylsiloxane, liq., viscosity 1000cs (25C), 63148-62-9
Polydimethylsiloxane, liq., viscosity 100cs (25C), 63148-62-9
Polydimethylsiloxane, liq., viscosity 10cs (25C), 63148-62-9
Polydimethylsiloxane, methyldiacetoxy terminated, Mw=36000, 70879-95-7
Polydimethylsiloxane, Mw=115000, Tg=-123, 63148-62-9
Polyethylene glycol 200 diacrylate, 26570-48-9
Polyethylene glycol 200 dibenzoate, 9004-86-8
Polyethylene glycol 200 dimethacrylate, 25852-47-5
Polyethylene glycol 400 diacrylate, 26570-48-9
Polyethylene glycol 400 dimethacrylate, 25882-47-5
Polyethylene glycol 600 diacrylate, 26570-48-9
Polyethylene glycol 600 dimethacrylate, 25652-47-5
Polyethylene, Cl 25% by wt., 64754-90-1
Polyethylene, Cl 36% by wt., 64754-90-1
Polyethylene, Cl 42% by wt., 64754-90-1
Polyethylene, Cl 48% by wt., 64754-90-1
Polyethylene, high density, Mw=125000, 25213-02-9
Polyethylene, low density, Mw=50000, 9002-88-4
Polyethylene, Mn=1100, 9002-88-4
Polyethylene, Mn=1400, 9002-88-4
Polyethylene, Mn=1800, 9002-88-4
Polyethylene, Mn=6500, 9002-88-4
Polyethylene, Mn=900, 9002-88-4
Polyethylene, oxidized, 68441-17-8
Polyethyleneimine, 80% ethoxylated, base polymer, 38.70% solids in water, Mw=50000, 26658-46-8
Polyethyleneimine, dried from aq. sol., Mn=60000, 9002-98-6
Polygalacturonic acid, potassium salt, 108321-62-6
Polyimidazoline, quaternized, dried from aq. sol., 68187-22-4
Polyisobutylene, Mw=1270000, Tg=-62, 9003-27-4
Polyisobutylene, Mw=1700000, Tg=-62, 9003-27-4
Polyisobutylene, Mw=2800, Tg=-75, 9003-27-4
Polyisobutylene, Mw=85000, Tg=-64, 9003-27-4
Polyisobutylene, Mw=850000, Tg=-64, 9003-27-4
Polyisoprene, cis, 97% cis 1,4; Mw=800000, Tg=-67, 104389-31-3
Polyisoprene, trans, Mw=400000, Tg=-68, 104389-32-4
Polymethacrylamide, 25014-12-4
Polymethacrylonitrile, Mw=20000, Tg=120, 25067-61-2

Polymethylhexylsiloxane, Mw=5000
Polymethylhydrosiloxane, Mw=1500, 63148-57-2
Polymethyloctadecylsiloxane, Mw=11000, 68607-75-0
Polymethyloctylsiloxane, Mw=6200, 68440-90-4
Polymethylphenylsiloxane, Mw=2600, Tg=-86, 63148-58-3
Polymethyltetradecylsiloxane, Mw=9400, 76684-67-8
Polypropylene glycol monomethacrylate, 39420-45-6
Polypropylene, atactic, Mw=10000, 9003-07-0
Polypropylene, atactic, Mw=12000, 9003-07-0
Polypropylene, isotactic, chlorinated, chlorine 26%, 68442-33-1
Polypropylene, isotactic, Tg=-26, 9003-07-0
Polystyrene sulfonate, lithium salt, dried from aq. sol., Mw=70000, 9016-91-5
Polystyrene sulfonate, sodium salt, Mw=500000, 25704-18-1
Polystyrene sulfonate, sodium salt, Mw=70000, 25704-18-1
Polystyrene, 90% isotactic, Mw=400000, 9003-53-6
Polystyrene, 98% syndiotactic, Tg=100, 9003-53-6
Polystyrene, Bimodal polymer, Mw=45000, 9003-53-6
Polystyrene, dicarboxy terminated, Mw=100000, 9003-53-6
Polystyrene, dicarboxy terminated, Mw=150000, 9003-53-6
Polystyrene, dicarboxy terminated, Mw=25000, 9003-53-6
Polystyrene, dicarboxy terminated, Mw=50000, 9003-53-6
Polystyrene, monocarboxy terminated, Mw=100000, 9003-53-6
Polystyrene, monocarboxy terminated, Mw=13000, 9003-53-6
Polystyrene, monocarboxy terminated, Mw=150000, 9003-53-6
Polystyrene, monocarboxy terminated, Mw=200000, 9003-53-6
Polystyrene, monocarboxy terminated, Mw=30000, 9003-53-6
Polystyrene, monocarboxy terminated, Mw=50000, 9003-53-6
Polystyrene, monohydroxy term., Mw=10000, 9003-53-6
Polystyrene, monohydroxy terminated, Mw=100000, 9003-53-6
Polystyrene, monohydroxy terminated, Mw=5000, 9003-53-6
Polystyrene, monomethacrylate terminated, Mw=15000, 9003-53-6
Polystyrene, Mw=190000, Tg=100, 9003-53-6, single bead
Polystyrene, Mw=235000, Tg=100, 9003-53-6
Polystyrene, Mw=250000, Tg=100, 9003-53-6
Polyvinylpyrrolidone, Mw=10000, Tg=175, 9003-39-8
Polyvinylpyrrolidone, Mw=40000, Tg=175, 9003-39-8
Propoxylated (3) trimethylolpropane triacrylate, 53879-54-2
Propoxylated (6) trimethylolpropane triacrylate, 53879-54-2
Propoxylated neopentyl glycol diacrylate, 84170-74-1
Propylene glycol monostearate, 1323-39-3
Propylene glycol ricinoleate, 26402-31-3
Propylene/acrylic acid copolymer, acrylic acid 6%, 25214-24-8
s-Butyl methacrylate, 2998-18-7
Sandostab P-EPQ, 119345-01-6
Sanduvor 3050, 85099-51-0
Sanduvor 3055, 79720-19-7
Sanduvor 3058, 106917-31-1
Sanduvor 3206, 82493-14-9
Sanduvor VSU, 23949-66-8
Saytex HP 900G Flame Retardant; Hexabromocyclododecane, 3194-55-6
Sp-75; 1,2,5,6,9,10-hexabromo-cyclododecane, 3194-55-6
STDP Antioxidant; 3,3'-Thiobispropanoic Acid, dioctadecyl ester, 693-36-7
Styrene, 100-42-5
Styrene/acrylonitrile copolymer, acrylonitrile 25%, Mw=165000, 9003-54-7
Styrene/acrylonitrile copolymer, acrylonitrile 32%, Mw=185000, 9003-54-7
Styrene/allyl alcohol copolymer, 25119-62-4

Styrene/allyl alcohol copolymer, hydroxyl 5.4-6.0%, Mw=3000, Tg=63, 25119-62-4
Styrene/butadiene, ABA block copolymer, styrene 28%, Mw=100000, 9003-55-8
Styrene/butadiene, ABA block copolymer, styrene 30%, Mw=140000, 9003-55-8
Styrene/butyl methacrylate copolymer, butyl methacrylate 50%, Mw=200000, 25213-39-2
Styrene/ethylene-butylene, ABA block copolymer, styrene 29%, Mw=90000, 66070-58-4
Styrene/isoprene, ABA block copolymer, styrene 14%, isoprene 86%, Mw=150000, 25038-32-8
Styrene/maleic anhydride copolymer, partial methyl ester, styrene 50%, Mw=350000, 31959-78-1
Styrene/maleic anhydride copolymer, styrene 50mole%, Mn=1600, 26762-29-8
Styrene/maleic anhydride copolymer, styrene 67mole%, Mn=1700, 26762-29-8
Styrene/maleic anhydride copolymer, styrene 75mole%, Mn=1900, 26762-29-8
t-Butyl acrylate, 16663-39-4
t-Butyl glycidyl ether, 7665-72-7
t-Butyl methacrylate, 585-07-9
t-Butyl styrene, 1746-23-2
t-Butylaminoethyl methacrylate, 3775-90-4
t-Butylphenyl diphenyl phosphate, 56803-37-3
Tetraethylene glycol diacrylate, 17831-71-9
Tetraethylene glycol dimethacrylate, 109-17-1
Tetrahydrofurfuryl methacrylate, 2455-24-5
Tetrahydrofurfuryl oleate, 5420-17-7
Tinuvin 1130, 104810-48-2
Tinuvin 123, 129757-67-1
Tinuvin 144, 63843-89-0
Tinuvin 1577 F, 147315-50-2
Tinuvin 213, 104810-48-2; 104810-47-1; 25322-68-3
Tinuvin 234, 70321-86-17
Tinuvin 320; 2-Benzotriazol-2-yl-4,6-di-tert-butylphenol, 3846-71-7
Tinuvin 326, 3896-11-5
Tinuvin 327; 2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl) phenol, 3864-99-1
Tinuvin 328; 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol, 25973-55-1
Tinuvin 350, 36437-37-3
Tinuvin 353
Tinuvin 360, 103597-45-1
Tinuvin 400, 153519-44-9
Tinuvin 464 FB
Tinuvin 492 FB
Tinuvin 5060
Tinuvin 571, 125304-04-3
Tinuvin 622, 65447-77-0
Tinuvin 770; Bis (2,2,6,6,-tetramethyl-4-piperidyl) sebaceous, 52829-07-9
Tinuvin 900, 70321-86-7
Tinuvin 99, 68526-83-0
Tinuvin NOR 371 FF; Triazine derivative, 2800-4000
Tinuvin P; 2-(2H-Benzotriazol-2-yl)-p-cresol, 2440-22-4
Tinuvin XT 850
Topanol CA; 1,1,3-Tris(2-methyl-4-hydroxy-5-t-butylphenyl)butane, 1843-03-4
Tri-n-butyl citrate, 77-94-1
Tri(n-octyl,n-decyl) trimellitate, 67989-23-5
Tributoxyethyl phosphate, 78-51-3
Tributyl phosphate, 126-73-8
Tricapryl trimellitate, 27251-75-8
Tricresyl phosphate, 1330-78-5
Tridecyl acrylate, 3076-04-8
Triethyl citrate, 77-93-0
Triethylene glycol diacrylate, 1680-21-3
Triethylene glycol dimethacrylate, 109-16-0

Triisodecyl trimellitate, 36631-30-8
Triisononyl trimellitate, 53894-23-8
Trimethylammoniummethylmethacrylic chloride, 5039-78-1
Trimethylopropane triacrylate, 15625-89-5
Trimethylopropane trimethacrylate, 3290-92-4
Trimethylsilylmethacrylate, 13688-56-7
Triphenyl phosphate, 115-86-6
Tripropylene glycol diacrylate, 42978-66-5
Ultranox 626, 26741-53-7
Ultranox 641, 161717-32-4
Uvasil 299, 164648-93-5
Uvasorb HA-88, 79720-19-7
Uvinul 2000, 10191-41-0
Uvinul 2003; Tocopherol preparation with an organophosphorus compound
Uvinul 3030, 178671-58-4
Uvinul 3039; Octocrylene, 6197-30-4
Uvinul 3049; Benzophenone-6, 131-54-4
Uvinul 3050; Benzophenone-2, 131-55-5
Uvinul 3088; 2-ethylhexyl-p-methoxycinnamate, 5466-77-3
Uvinul 3093; Benzophenone-2 + Benzophenone-6, 131-55-5, 131-54-4
Uvinul 350
Uvinul 4050H, 124172-53-8
Uvinul 408; 2-hydroxy-4-n-octoxybenzophenone, 1843-05-6
Uvinul 5050H, 152261-33-1
Uvinul p25, 116242-27-4
Uvitex OB; 2,5-Thiophenediylbis(5-tert-butyl-1,3-benzoxazole, 7128-64-5
Vanox 12, 68411-46-1
Vanox GT, 27676-62-6
Vinyl acetate, 108-05-4
Vinyl alcohol/vinyl acetate copolymer, Mw=90000, 25213-24-5
Vinyl alcohol/vinyl butyral copolymer, VB 80%, VA 0.5%, Mw=130000, 27630-07-2
Vinyl chloride/vinyl acetate copolymer, VC 90%, VA 10%, Mw=115000, 9003-22-9
Vinyl laurate, 2146-71-6
Vinyl neodecanoate, 51000-52-3
Vinyl neononanoate, 54423-67-5
Vinyl pivalate, 3377-92-2
Vinyl propionate, 105-38-4
Vinyl stearate, 111-63-7
Vinyl toluene, 25013-15-4
Vinylidene chloride/acrylonitrile copolymer, acrylonitrile 20% by wt., Mw=125000, 9010-76-8
Vinylidene chloride/vinyl chloride copolymer, vinylidene chloride 5%, Mw=165000, Tg=90, 9011-06-7
Vinylmethyldimethoxysilane, 16753-62-1
Vinyltriethoxysilane, 78-08-0
Vinyltrimethoxysilane, 2768-02-7
Weston 618; 2,4,810-Tetraoxa-3,9-diphosphaspiro[5.5]undecane, 3806-34-6
Weston DOPI; Diisooctyl phosphite, 36116-84-4
Weston PNPG; Phenyl neopentylene glycol phosphite, 3057-08-7
Weston TDP; Triisodecyl phosphite, 25448-25-3
Weston TLTPP; Trilauryl Trithio Phosphite, 1656-63-9
Weston TPP; Triphenoxyphosphane, 101-02-0
Zinc borate, flame retardant, 1332-07-6
Zinc diacrylate, 14643-87-9